Local Water Utilities Administration

WATER DISTRICT DEVELOPMENT DIVISION

Area 2 - Central Luzon

WATER DISTRICT 2014 PERFORMANCE BASED BONUS CHECKLIST AND EVALUATION

Water District:

BALANGA

Category:

C

CCC No.:

Province:

Bataan

No. of Conn.:

8,865

Tel#

PhilGEPS COC CSC Certificati Annex 4: pages COA Acknowle	1&2 Idgement Report Int Php 1,175,000 2014 Actual 80% 100 1.51:1 30 0 deviation	YES V V V V Accompl Rat 100 96	0 0 0 6	Remarks Passed Pass ed Pass ed Pass ed Pass ed Passed Passed Passed Passed Passed Passed Passed
CSC Certificati Annex 4: pages COA Acknowle Budgeted Amou Targets 80% 100 1.58:1 28 0 deviation	Some Content Content	V V V V Accompl Rat 100 96 93	0 0 0 6	Pass ed Pass ed Pass ed Pass ed Pass ed Passed Passed Passed Passed Passed Passed
Annex 4: pages COA Acknowle Budgeted Amou Targets 80% 100 1.58:1 28 0 deviation	1&2 Idgement Report Int Php 1,175,000 2014 Actual 80% 100 1.51:1 30 0 deviation	V V V Accompl Rat 100 100 96 93	0 0 0 6	Pass ed Pass ed Pass ed Pass ed Passed Remarks Passed Passed Passed Passed
COA Acknowle Budgeted Amou Targets 80% 100 1.58:1 28 0 deviation	2014 Actual 80% 100 1.51:1 30 0 deviation	V V Accompl Rat 100 100 96 93	0 0 0 6	Passed Passed Remarks Passed Passed Passed Passed Passed
Targets 80% 100 1.58:1 28 0 deviation	2014 Actual 80% 100 1.51:1 30 0 deviation	Accompl Rat 100 100 96	0 0 0 6	Passed Passed Passed Passed Passed Passed Passed
Targets 80% 100 1.58:1 28 0 deviation	2014 Actual 80% 100 1.51:1 30 0 deviation	Accompl Rat 100 100 96	0 0 0 6	Passed Passed Passed Passed Passed
80% 100 1.58:1 28 0 deviation	80% 100 1.51:1 30 0 deviation	100 100 96	0 0 0 6	Passed Passed Passed Passed
80% 100 1.58:1 28 0 deviation	80% 100 1.51:1 30 0 deviation	100 100 96	0 0 0 6	Passed Passed Passed Passed
100 1.58:1 28 0 deviation	100 1.51:1 30 0 deviation	96	0	Passed Passed Passed
100 1.58:1 28 0 deviation	100 1.51:1 30 0 deviation	96	0	Passed Passed Passed
1.58:1 28 0 deviation	30 0 deviation	96		Passed Passed
28 0 deviation	30 0 deviation	93		Passed
0 deviation	0 deviation	100		
0 deviation	0 deviation	100		
		100)	Dages 1
15min.				Passe d
	15min.	100		Passe d
2014 Targets	2014 Actual	Compliano	ce Rate	Remarks
1:167	1:191	100		Passed
2604 (5%LIG)	P130 (WR-MC)	100		Passed
100%	100%	100		Passed
T SERVICES				
87%	88%	100		Passed
75%	73%	100		Passed
5:1	6:1	100		Passed
12/12	12/12 -	100		Passed
12/12	12/12	100		Passed
12/12	12/12	100		Passed
submitted	submitted	100		Passed
submitted	submitted	100		Passed
	87% 75% 5:1 12/12 12/12 12/12 submitted	87% 88% 75% 73% 5:1 6:1 12/12 12/12 12/12 12/12 12/12 12/12 submitted submitted submitted submitted	87% 88% 100 75% 73% 100 5:1 6:1 100 12/12 12/12 100 12/12 12/12 100 12/12 12/12 100 submitted submitted 100 submitted submitted 100	87% 88% 100 75% 73% 100 5:1 6:1 100 12/12 12/12 100 12/12 12/12 100 12/12 12/12 100 submitted submitted 100

24 Feb. 2015

IV RECOMMENDATION

The Balanga WD is ELIGIBLE for grant of 2014 PBB

Evaluated By:

Reviewed By:

Conforme:

WD Assigned Advisor

ÉNICE V. TEODORO

cting Manager, WDDD Area 2

GREGORIO C. MENDOZA

Acting Manager, WDD: Luzon

Recommendi

EDGARDO C. DEMAYO

Acting Senior Deputy Administrator

Concurred by:

LORENZO C. DRAPETE

Director-BMB-F, DBM

ANDRES F. IBARRA

Administrator